FILE NOTATIONS Entered in NID File Checked by Chief Location Map Pinned Approval Letter Card Indexed Disapproval Letter COMPLETION DATA: Date Well Completed 7,34,79 Location Inspected OW..... TA.... Bond released SIGW. V. os.... PA.... State or Fee Land LOGS FILED Driller's Log. Electric Logs (No.) .

E.... I.... Dual I Lat.... GR-N... Micro...

BHC Sonic GR.... Lat... Mi-L... Sonic...

CBLog.... CCLog... Others.

1/4/18 Called Dale Amee, bond was first filed for this well Sa

SUBMIT IN TRIPLIC. UNITED STATES

(Other instructions of reverse side)

Form approved. Budget Bureau No. 42-R1425.

	DEFARIMEN	r of the inter	RIOR	5. LEASE DESIGNATI	ON AND SERVET NO
	GEOLO	GICAL SURVEY		200	700
APPLICATION	J FOD DEDMIT	TO DRILL, DEEPE	N OP DUIG	DACV 6: IF INDIAN, ALLOT	TEE OR TRIBE NAME
1a. TYPE OF WORK	1 FOR PERMIT	IO DRILL, DEEPE	IN, OR PLUG	BACK	And the state of t
		DEEPEN 🗌	PLUG BA	CK 7. UNIT AGREEMENT	NAME
b. TYPE OF WELL			1200 07		in the second se
MELL W	ELL OTHER		NGLE MULTI NE ZONE	PLE 8. FARM OR LEASE	NAME
2. NAME OF OPERATOR				ST41	\dot{e}
•	LEGG Res	OURCES LI	D.	9. WELL NO.	
3. ADDRESS OF OPERATOR			Tage 1	JOVCE	STATE #/
193 54	NIIGHT DR.	GRAND TCT.	CO10. 8150	10. FIELD AND POOI	, OR WILDCAT
At surface	and the second s		· · · · · · · · · · · · · · · · · · ·	. Wild	CAT
		Line 360	N. OF EAST	Ine 11. SEC., T., R., M., C. AND SURVEY OR	DR BLK. Area
At proposed prod. zon	e	so, NE NE	NE	NE 14	
14. DISTANCE IN MILES	AND DIRECTION FROM NEA	BEST TOWN OR POST OFFICE		12. COUNTY OR PARI	T205 R24E SH 13. STATE
V m	NE CIS			IZ. COUNTY OR FARI	
15. DISTANCE FROM PROPO	SED*		OF ACRES IN LEASE	17. NO. OF ACRES ASSIGNED	UTAH
PROPERTY OR LEASE I	INE ED	101	1 1/0	TO THIS WELL	
(Also to nearest drig 18. DISTANCE FROM PROP	OSED LOCATION*	60 19. PR	OPOSED DEPTH	20. ROTARY OR CABLE TOOLS	
TO NEAREST WELL, DOOR APPLIED FOR, ON THE	RILLING, COMPLETED, IS LEASE, PT.		1400	ROTARY	
21. ELEVATIONS (Show who	ether DF, RT, GR, etc.)	<u> </u>	700		WORK WILL START*
4	1597 GR			12-1	2- <i>77</i>
23.		PROPOSED CASING AND	CEMENTING PROGR		
STEE OH WATE		1			
SIZE OF HOLE	SIZE OF CASING	WEIGHT PER FOOT	SETTING DEPTH	QUANTITY OF CEI	
0 7 4	41/2	26.5	173		BACK TO SURFACE
014	7/2	7.3	T.O.	Conta 150 ab	OUR TOP HYDROCARDON
		1		Zode	
	·	·			
				and the la	
	Prosecte	d tops: So		MANEOS SHAle	
	Projecte	d tops! So	067	OAKOTA	API #
	Projecte		897	OAKOTA LODAR MIN.	API # Y Comp sheety
	Projecte		897	OAKOTA LODAR MIN.	API #Y Comp sheety NID sheet Y
	PROJECTE		897	OAKOTA CEOAR MTN. BRUSHY BASIN	API # Y Comp sheet Y NID sheet Y Card Ind Y
<i>\(\lambda \)</i>)		897	OAKOTA CEOAR MTN. BRUSHY BASIN	API # Comp sheety NID sheet & Card Ind & Feli
			897 1014 1105 1339	OAKOTA CEOAR MIN. BRUSHY BASIN SAIT WASH	API # Y Comp sheet Y NID sheet Y Card Trd Y File Prepared Y
a Not re			897 1014 1105 1339	OAKOTA CEOAR MIN. BRUSHY BASIN SAIT WASH	API # X Comp sheet Y NID sheet Y Card Tivol Y Fili Prepared X
Brown Ce.			897 1014 1105 1339	OAKOTA CEOAR MIN. BRUSHY BASIN SAIT WASH	API # X Comp sheet X NID sheet X Card Ind X File Prepared X
Dro Vice	Rega	N TOROS TY	897 1014 1105 1339 oe El Blou	OAKOTA CEOAR MTN. BRUSHY BASIN	API # Comp sheety NID sheet & Card Tvd & File Prepared &
Brown ec.	Rega		897 1014 1105 1339 oe El Blou	OAKOTA CEOAR MIN. BRUSHY BASIN SAIT WASH	API # Y Comp sheet Y NID sheet Y Card Ind Y File Prepared Y
Drobbee "	Rega	N TOROS TY	897 1014 1105 1339 oe El Blou	OAKOTA CEOAR MIN. BRUSHY BASIN SAIT WASH	API # X Comp sheet Y NID sheet Y Card Ivol Y Fili Frepared X
	Rega GRA	N TOROS TYP	897 1014 1105 1339 OEEI BIOU HCAL	OAKOTA CEOAR MTN. BRUSHY BASIN SAIT WASh VOUT PREVENTOR	
IN ABOVE SPACE DESCRIBE zone. If proposal is to	Rega GRAA PROPOSED PROGRAM: If j drill or deepen directions	N TOROS TYP	897 1014 1105 1339 00 E1 B100 HCAL	OAKOTA CEOAR MIN. BRUSHY BASIN SAIT WASH	ned new productive
IN ABOVE SPACE DESCRIBE zone. If proposal is to preventer program, if any	Rega GRAA PROPOSED PROGRAM: If j drill or deepen directions	N TOROS TYP	897 1014 1105 1339 00 E1 B100 HCAL	OAKOTA CEOAR MTN. BRUSHY BASIN SAIT WASh VOUT PREVENTER	ned new productive
IN ABOVE SPACE DESCRIBE zone. If proposal is to preventer program, if any 24.	Rega GRAA PROPOSED PROGRAM: If j drill or deepen directions	TOROS TYPE T ROTATING Proposal is to deepen or pl Color of the proposa	897 1014 1105 1339 00 El Blow HCAL ing back, give data on particular de locations a	OAKOTA CEOAR MIN. BRUSHY BASIN SAIT WASh VOUT PREVENTOR oresent productive zone and propind measured and true vertical de	osed new productive pths. Give blowout
IN ABOVE SPACE DESCRIBE zone. If proposal is to preventer program, if any 24.	Rega GRAA PROPOSED PROGRAM: If j drill or deepen directions	TOROS TYPE T ROTATING Proposal is to deepen or pl Color of the proposa	897 1014 1105 1339 00 El Blow HCAL ing back, give data on particular de locations a	OAKOTA CEOAR MTN. BRUSHY BASIN SAIT WASh VOUT PREVENTER	osed new productive pths. Give blowout
IN ABOVE SPACE DESCRIBE zone. If proposal is to preventer program, if any 24.	Rega GRAA PROPOSED PROGRAM: If j drill or deepen directions	TOROS TYPE T ROTATING Proposal is to deepen or pl Color of the proposa	897 1014 1105 1339 00 El Blow HCAL ing back, give data on particular de locations a	OAKOTA CEOAR MIN. BRUSHY BASIN SAIT WASh VOUT PREVENTOR oresent productive zone and propind measured and true vertical de	osed new productive pths. Give blowout
IN ABOVE SPACE DESCRIBE zone. If proposal is to preventer program, if any 24.	Rega GRA/ PROPOSED PROGRAM: If a drill or deepen directions	TOROS TYPE T ROTATING Proposal is to deepen or pl Color of the proposa	897 1014 1105 1339 00 El Blow HCAL ing back, give data on particular de locations a	OAKOTA CEOAR MIN. BRUSHY BASIN SAIT WASh VOUT PREVENTOR oresent productive zone and propind measured and true vertical de	osed new productive pths. Give blowout
IN ABOVE SPACE DESCRIBE zone. If proposal is to preventer program, if any 24.	Rega GRA/ PROPOSED PROGRAM: If a drill or deepen directions	TITLE	897 1014 1105 1339 00 El Blow HCAL ing back, give data on particular de locations a	OAKOTA CEOAR MIN. BRUSHY BASIN SAIT WASh VOUT PREVENTOR DESCRIPTION OF THE PROPERTY OF THE PRO	osed new productive pths. Give blowout
IN ABOVE SPACE DESCRIBE ZONE. If proposal is to preventer program, if any 24. SIGNED	Rega GRA/ PROPOSED PROGRAM: If a drill or deepen directions	TITLE	897 1014 1105 1339 100 El Blow Head The pack, give data on particular de locations a	OAKOTA CEOAR MIN. BRUSHY BASIN SAIT WASh VOUT PREVENTOR oresent productive zone and propind measured and true vertical de	osed new productive pths. Give blowout

WELL LOCATION PLAT



IN NEW NEW SEC16, T205, R24E, SLB # M. GRAND COUNTY, WIAH SCALE: 1"=1000' NOV 1,1962 STADIA SURVEY

ELEV. CARRIED FROM MCMILLAN-JOHNSON WELL IN NW. NW. NW. S. 15, 20,24

Wine Itanh

U- AH REGO LAND SURVEYOR Nº 1963

	ASSIGNMENT
	CERTIFICATE NO.
	GRAZING LEASE NO.
	MINERAL LEASE NO. 30780 APPLICATION NO. 30780
	The undersigned, as owner of record and
	The undersigned, as owner of record title interest as hereinafter specified in and to
	as designated for good and walush
Α	ML 30780; GL; Certificate No as designated for good and valuab consideration and DOLLARS does hereby assign to LEGG RESOURCES, LTD. The rights, title, and interest in rights and printless.
ď,	
14	extent indicated, subject to the reservation of overriding royalties as herein noted:
	1. Land affected by the
	1. Land affected by this assignment in County of Grand , State of Utah.
	de l'eteri
	NE¼ of Section 16, Township 20 South, Range 24 East of the Salt Lake Principal Meridian
	2. Interest of and
	ALKEN
ļ.,	3. Extent of such interest conveyed to Assignee 100%
: -, ·	5. Overriding royalty previously reserved (Note percentage only) 5%
	It is hereby certified that the
	the best of the undersigned's knowledge and belief and are made in good faith.
	and are made in good faith.
	Executed and witnessed this 2nd day of December . 19 77
	WITNESS:
in the	
100	_ Eal G. trex
	STATE OF Colorado EARL E. FIX
	STATE OF XXXXX)
	COUNTY Ss.
	Mesa)
4.7	
	On the
	On the 2nd day of December A.D. 19 77, personally appeared before
	On the day of
	On the 2nd day of December A.D. 19 77, personally appeared before me EARL E. FIX duly acknowledged to me that he executed the same.
	executed the same.
	My Commission Expires: Hele C. 1000
	bo ho hat he had be
	My Commission Expires: Feb. 9, 1980
	My Commission Expires: Feb. 9, 1980 ACCEPTANCE OF ASSIGNMENT
	My Commission Expires: Feb. 9, 1980 ACCEPTANCE OF ASSIGNMENT
	My Commission Expires: Feb. 9, 1980 ACCEPTANCE OF ASSIGNMENT AFFIDAVIT OF CITIZENSHIP OF ASSIGNEE
	My Commission Expires: Feb. 9, 1980 ACCEPTANCE OF ASSIGNMENT AFFIDAVIT OF CITIZENSHIP OF ASSIGNEE on oath, do solemnly swear that I am (we are) at the
	My Commission Expires: Feb. 9, 1980 ACCEPTANCE OF ASSIGNMENT AFFIDAVIT OF CITIZENSHIP OF ASSIGNEE I, (we) on oath do solemnly swear that I am (we are) at the and I (we) hereby assume and acree to the united States of America and of legal age.
	My Commission Expires: Feb. 9, 1980 ACCEPTANCE OF ASSIGNMENT AFFIDAVIT OF CITIZENSHIP OF ASSIGNEE I, (we) on oath do solemnly swear that I am (we are) at the and I (we) hereby assume and acree to the united States of America and of legal age.
	My Commission Expires: Feb. 9, 1980 ACCEPTANCE OF ASSIGNMENT AFFIDAVIT OF CITIZENSHIP OF ASSIGNEE I, (we)
	My Commission Expires: Feb. 9, 1980 ACCEPTANCE OF ASSIGNMENT AFFIDAVIT OF CITIZENSHIP OF ASSIGNEE I, (we) on oath do solemnly swear that I am (we are) at the and I (we) hereby assume and acree to the united States of America and of legal age.
	My Commission Expires: Feb. 9, 1980 ACCEPTANCE OF ASSIGNMENT AFFIDAVIT OF CITIZENSHIP OF ASSIGNEE I, (we) on oath do solemnly swear that I am (we are) at the and I (we) hereby assume and acree to the united States of America and of legal age.
	My Commission Expires: Feb. 9, 1980 ACCEPTANCE OF ASSIGNMENT AFFIDAVIT OF CITIZENSHIP OF ASSIGNEE I, (we) present time (a) *native borditizen (a) of the United States of America and of legal age, lease on the part of the lessee (s) to be kept and performed, and accept the foregoing BY
	ACCEPTANCE OF ASSIGNMENT AFFIDAVIT OF CITIZENSHIP OF ASSIGNEE I, (we) present time (a) *native borditizen (a) of the United States of America and of legal age, lease on the part of the lessee (s) to be kept and performed, and accept the foregoing BY Subscribed and sworn to before me this
	My Commission Expires: Feb. 9, 1980 ACCEPTANCE OF ASSIGNMENT AFFIDAVIT OF CITIZENSHIP OF ASSIGNEE I, (we) present time (a) *native borditizen (a) of the United States of America and of legal age, lease on the part of the lessee (s) to be kept and performed, and accept the foregoing BY
	ACCEPTANCE OF ASSIGNMENT AFFIDAVIT OF CITIZENSHIP OF ASSIGNEE I, (we) present time (a) *native borditizen (a) of the United States of America and of legal age, lease on the part of the lessee (s) to be kept and performed, and accept the foregoing BY Subscribed and sworn to before me this
	ACCEPTANCE OF ASSIGNMENT AFFIDAVIT OF CITIZENSHIP OF ASSIGNEE I, (we) present time (a) *native borditizen (a) of the United States of America and of legal age, lease on the part of the lessee (s) to be kept and performed, and accept the foregoing BY Subscribed and sworn to before me this

NOTE: a* Insert here whether native born or naturalized NOIST haturalized, it will be necessary to file with this office Proof of Citizenship, on Declaration of Intention to become a citizen in the form of a letter or certificate or verification from Court of Issuance, and registratic fee of \$1.00.

ACCEPTANCE OF ASSIGNMENT AFFIDAVIT OF CITZENSHIP OF ASSIGNEE

I, (we) EARL E. FIX and LEON WHATLEY

on oath, do solemnly swear that we are the general partners of LEGG RESOURCES, LTD. A Colorado Limited Partnership and that we are native born Citizens of the United States of Americia, and we hereby assume and agree on behalf of Legg Resources, LTD, to perform all of the covenants and obligations of said lease on the part of the Lessee to be kept and performed, and accept the foregoing instrument.

LEGG RESOURCES, LTD., A Colorado

Limited Partnership

LEON WHATLEY, General Partn

Subscribed and sworn to before me this _____ day of December, 1977.

Notary Public, Residing Grand Junction, Colorado

My Commission expires: Feb. 9, 1980.

** FILE NOTATIONS **

Date:
Operator: Legg Famules
Well No: dyel State #1
Location: Sec. 16 T. 205 R. 24E County: Sland
*** Out the time and the time and the time and the time and time a
File Prepared: // Entered on N.I.D.: //
Card Indexed: Completion Sheet:
API NUMBER:
CHECKED BY:
Administrative Assistant
Remarks: M. R. P. T. of Stetchen #1, 30 hway
Remarks: OC - Be-Cutz of Stetchen #1, 30 away Petroleum Engineer will not be performed.
Remarks:
Director
Remarks:
INCLUDE WITHIN APPROVAL LETTER:
Bond Required: Survey Plat Required: /
Order No. 102-5 / Surface Casing Change / /
Rule C-3(c), Topographic exception/company owns or controls acreage within a 660' radius of proposed site /
O.K. Rule C-3 / O.K. In Unit //
Other:
Letter Written/Approved
(Decrei. Milling Androne

	UTAH DIVISION OF	OIL AND GAS	CONSER	VATION		
REMARKS: WELL LOG X E	LECTRIC LOGS FILE X WATER	SANDS 165 LOCA	TION INSP	ECTED	SUB. REPOR	PT /abd
α , α / α / α	ator to Mutual		1 .		30B. REPOR	(1/404
* Operator in	ome chance 2.2	4.85				
870817 cha-	or -0011 181 8-8	7	***			
						· · · · · · · · · · · · · · · · · · ·
DATE FILED 12-8-77					-	
LAND: FEE & PATENTED	STATE LEASE NO. 30780	PUBLIC LEASE	NO.		INDIAN	
DRILLING APPROVED: 12-8	3-77					
SPUDDED IN: 12-26-77						
COMPLETED: 7-24-7951	GWPUT TO PRODUCING:					
INITIAL PRODUCTION:						
GRAVITY A.P.I.						
GOR:						
PRODUCING ZONES: 1193	'-1218' SALT WASH		,			
TOTAL DEPTH: 1363						
WELL ELEVATION: 4605	KB					
DATE ABANDONED:						
FIELD: Wildcat Gr	enter (isco					
UNIT:					<u> </u>	
COUNTY: Grand						
well no Joyce State	#1 (92090)			API NO:	43-019-30410	
LOCATION 360'	FT. FROM (N) XX) LINE. 360	FT, FROM (F) XXV) 11N		NE NE 1/4 - 1/4	sec 16-
	300				Juple in	1 Quinn
TWP. RGE. SEC.	OPERATOR	TWP.	RGE.	SEC.	DAYMON 6	TUTI-AND.
					mitim	tal America
the second		20\$	24E	16	LEGG RESOUR	THE THE

χ

Legg Resources LTD 195 Sunlight Drive Grand Junction, Colorado 81501

Re: Well No. Joyce State #1
Sec. 16, T. 20 S, R. 24 E,
Grand County, Utah

Gentlemen:

Insofar as this office is concerned, approval to drill the above referred to well is hereby granted in accordance with the Order issued in Cause No. 102-5.

Should you determine that it will be necessary to plug and abandon this well, you are hereby requested to immediately notify the following:

PATRICK L. DRISCOLL - Chief Petroleum Engineer HOME: 582-7247 OFFICE: 533-5771

Enclosed please find Form OGC-8-X, which is to be completed whether or not water sands (aquifers) are encountered during drilling.

Further, it is requested that this Division be notified within 24 hours after drilling operations commence, and that the drilling contractor and rig number be identified.


The API number assigned to this well is 43-019-30410.

Very truly yours,

DIVISION OF OIL, GAS, AND MINING

CLEON B. FEIGHT Director

cc: Division of State Lands





OIL, GAS, AND MINING BOARD

I. DANIEL STEWART
Chairman

CHARLES R. HENDERSON JOHN L. BELL THADIS W. BOX C. RAY JUVELIN

GORDON E. HARMSTON Executive Director, NATURAL RESOURCES

CLEON B. FEIGHT

Director

STATE OF UTAH DEPARTMENT OF NATURAL RESOURCES

DIVISION OF OIL, GAS, AND MINING 1588 West North Temple Salt Lake City, Utah 84116 (801) 533-5771

August 17, 1978

Legg Resources LTD 195 Sunlight Drive Grand Junction, Colorado 81501

Re: Well No. Joyce State #1
Sec. 16, T. 20S, R. 24E
Grand County, Utah
February 1978-July 1978

Gentlemen:

Our records indicate that you have not filed a Monthly Report of Operations for the months indicated above on the subject well.

Rule C-22, General Rules and Regulations and Rules of Practice and Procedure, requires that said reports be filed on or before the sixteenth (16) day of the succeeding month. This report may be filed on Form OGC-1b, (U.S. Geological Survey Form 9-331) "Sundry Notices and Reports on Wells", or on company forms containing substantially the same information. We are enclosing forms for your convenience.

Your prompt attention to the above will be greatly appreciated.

Very truly yours,

DIVISION OF OIL, GAS, & MINING

Tammy Edge Typist

STATE OF UTAH DEPARTMENT OF NATURAL RESOURCES



DIVISION OF OIL, GAS, AND MINING	5. LEASE DESIGNATION AND SERIAL NO. ML 30780
SUNDRY NOTICES AND REPORTS ON WELLS (Do not use this form for proposals to drill or to deepen or plug back to a different Use "APPLICATION FOR PERMIT—" for such proposals.)	6. IF INDIAN, ALLOTTER OR TRIBE NAME reservoir.
I. OIL GAS OTHER OTHER	7. UNIT AGREEMENT NAME
2. NAME OF OPERATOR LEGG RESOURCES, LTD.	8. FARM OR LEASE NAME STATE
	1501 JOYCE STATE #1
4. LOCATION OF WELL (Report location clearly and in accordance with any State requirement See also space 17 below.) At surface 360' FNL 360 FLL	10. FIELD AND POOL, OR WILDCAT WILDCAT 11. SEC., T., R., M., OR BLE. AND BURYEY, OR ARRA NENENE SEC 16, T 205, R 246
14. PERMIT NO. 43-019-304/0 15. BLEVATIONS (Show whether DF, RT, GR, etc.) 45-7 GR	12. COUNTY OR PARISH 18. STATE GRAND JTAH
16. Check Appropriate Box To Indicate Nature of Notice	e, Report, or Other Data
NOTICE OF INTENTION TO:	SUBSEQUENT REPORT OF:
SHOOT OR ACIDIZE REPAIR WELL CHANGE PLANS (Other) (NOT:	TREATMENT OR ACIDIZING E: Report results of multiple completion on Well letton or Recompletion Report and Log form.)
17. DESCRIBE PROPOSED OR COMPLETED OPERATIONS (Clearly state all pertinent details, and give proposed work. If well is directionally drilled, give subsurface locations and measured nent to this work.)* PERFORATED 7 FOOT INTERVAL FR 4 SHOTS PER FOOT AND 108 FOOT	20m 1193'- 1199' WITH
1208'- 1218:	TT THERENCE AND
INTEND TO RUN 1215' 1/2" SET J-LOCK RETRIEVABLE PACI	YER AT APPROXIMATELY
WELL IS PRESENTLY SHUT-IN APPROVED BY CONNECTION, OIL, GAS, AND DATE: 3-1	MINING OF
18. I hereby coeffin that the foregoing is true and correct SIGNED LAYMON D. HULLAND TITLE Pastine) DATE Mas. 13, 1979
(This space for Federal or State office use) APPROVED BY	DATE

tate Lease No. ML 30780 STATE OF UTAH DEPARTMENT OF NATURAL RESOURCES ederal Lease No. Indian Lease No._ **DIVISION OF OIL & GAS CONSERVATION** Fee & Pat. AUG 10 1979 1588 WEST NORTH TEMPLE SALT LAKE CITY, UTAH \$4116 DIVISION OF OIL. 533-5771 GAS, & MINING REPORT OF OPERATIONS AND WELL STATUS REPORT COUNTY FIELD/LEASE is a correct report of operations and production (including drilling and producing wells) for the month of: The following sources Company. Signed Title. Phone No REMARKS (If drilling, depth; if shut down, cause; date and least of test for pasoline soment of ges) Gallons of Gasoline Recovered Barnels of Water (If none, so state Cu. Ft. of Gas (In thousands) Well No. Days Produced Gravity none 16: NENE 205 24E none for initial delivery

GAS: (MCF)	OIL or CONDENSATE: (To be reported in Barrels)
Sold	On hand at beginning of month Produced during month Sold during month Unavoidably Jost
	Off hand at end of month

DRILLING/PRODUCING WELLS: This report must be filed on or before the sixteenth day of the succeeding month following production for each well. Where a well is temporarily shut-in, a negative report must be filed. THIS REPORT MUST BE FILED

SCOTT M. MATHESON
Governor

GORDON E. HARMSTON

Executive Director,

NATURAL RESOURCES

CLEON B. FEIGHT

Director



STATE OF UTAH DEPARTMENT OF NATURAL RESOURCES

DIVISION OF OIL, GAS, AND MINING 1588 West North Temple Salt Lake City, Utah 84116 (801) 533-5771 OIL, GAS, AND MINING BOARD

CHARLES R. HENDERSON
Chairman

JOHN L. BELL
C. RAY JUVELIN
THADIS W. BOX
CONSTANCE K. LUNDBERG
EDWARD T. BECK
E. STEELE McINTYRE

November 21, 1979

Legg Resources 195 Sunlight Dr. Grand Junction, Colo. 81501

Gentlemen:

Attached is a copy of the final order in Cause No. 102-16B.

You will note that this order requires a copy of the property or lease line to be filed with the Application for Permit to Drill. If this only covers the pertinent section, so state.

No new Applications for Permit to Drill will be granted unless all required forms on existing wells are up to date. Also, some operators have not been submitting their 2 mill conservation levy as authorized under Section 40-6-14, Utah Code Annotated, 1953, as amended. The required sales report, Form 5, may be obtained upon request from this office.

Sincerely,

DIVISION OF OIL, GAS AND MINING

clion & Feight Cleon B. Feight Director

/btm

cc Well Files



SCOTT M. MATHESON Governor

GORDON E. HARMSTON

Executive Director,

NATURAL RESOURCES

CLEON B. FEIGHT

Director

STATE OF UTAH

DEPARTMENT OF NATURAL RESOURCES

DIVISION OF OIL, GAS, AND MINING 1588 West North Temple Salt Lake City, Utah 84116 (801) 533-5771 OIL, GAS, AND MINING BOARD

CHARLES R. HENDERSON
Chairman

JOHN L. BELL
C, RAY JUVELIN
THADIS W. BOX
CONSTANCE K. LUNDBERG
EDWARD T. BECK
E. STEELE MOINTYRE

December 28, 1979

Legg Resources LTD 195 Sunlight Dr. Grand Junction, Colo. 81501

RE: Well No. Joyce State # 1
Sec. 16, T. 20S, R. 24E,
Grand County, Utah

Gentlemen:

This letter is to advise you that the Well Completion or Recompletion Report and Log for the above referred to well is due and has not been filed with this office as required by our rules and regulations.

Please complete the enclosed Form OGC-3, in duplicate, and forward them to this office as soon as possible.

Thank you for your cooperation relative to the above.

Very truly yours,

DIVISION OF OIL, GAS, AND MINING

DEBBIE BEAUREGARD CLERK-TYPIST

March 14, 1980

Legg Resources 3010 "C" Road Grand Junction, Colorado 81501

Re: Well No. Joyce State #1
Sec. 16, T. 20S, R. 24E.
Grand County, Utah
SECOND NOTICE

Gentlemen:

This letter is to advise you that the Well Completion or Recompletion Report and Log for the above mentioned well is due and has not been filed with this office as required by our rules and regulations.

Please complete the enclosed Form OGC-3, in duplicate, and forward them to this office as soon as possible.

Thank you for your cooperation relative to the above.

Very truly yours,

DIVISION OF OIL, GAS, AND MINING

Janier Select

JANICE TABISH CLERK-TYPIST

1

SUBMIT IN DUPLICATE*

STATE OF UTAH

(See other in-structions on reverse side)

CI III-				
side)	5. LEASE	DESIGNATION	AND	SERIAL

Ω	Q.	CAS	CONSERVATION	COMMISSION
OIL	Œ	GAS	CONSERVATION	COMMISSION

WELL CO	MPLETION (OR RECOM	APLETION	REPORT	AND LOC	* 6. IF INDIAN, AL	LOTTEE OR TRIBE NAMI
1a. TYPE OF WEI	LL: OII. WELL	GAS WELL	DRY .	Other Shi	it-in	7. UNIT AGREEME	NT NAME
b. TYPE OF COM			22	other		- State)
NEW WELL	WORK DEEP-	PLUG BACK	DIFF.	Other		S. FARM OR LEAS	E NAME
2. NAME OF OPERA		DACK C	a asser.	Other			
1666	RESOURC	65-1.Td	<i>.</i>	•		9. WELL NO.	
3. ADDRESS OF OPE						1000	STATE #1
		DP (F	11/1 1.10	ariad c	1 0161	10. FIELD AND PO	7111 FF/
4 LOCATION OF THE	DAHLIA D	olegates and in a	PIND CHIN	JI TON, C	0 81301	10. FIELD AND PO	A-4-
At surface A	ENENE PO	t // TA	AA DAA	ny State requir	emenis)+	WILLOW,	AV
2	360 ENL & ZA	016 12	08, 1727	E, Aras	rd lo, l	OR AREA	, OR BLOCK AND SURVEY
At top prod. in	ENENE LU 360 FNL & 360 terval reported belov	YTEL) NE	NE			Sec. 16.	T209, R24E
At total depth						1200,0)	,
			14. PERMIT NO	· 1	DATE ISSUED	12. COUNTY OR	13. STATE
			API 43-0	19-304/1		Grand	21tah
15. DATE SPUDDED	16. DATE T.D. REA	CHED 17. DATE			ELEVATIONS (DE		. ELEV. CASINGHEAD
DEC 26,77	12-29-7	9 7-2	4-79		46051 K		4597 BL
20. TOTAL DEPTH, MD	& TYD) 21. PLUG,	BACK T.D., MD & 3	rvd 22. if MUI	LTIPLE COMPL	1 23 INTE	RVALS BOTARY TOOLS	CARLE TOOLS
13631	7118 35		HOM 7	ANY*	DRILI	DED BY 0'-1363	/ ₁
	RVAL(S), OF THIS CO	MPLETION-TOP	BOTTOM NAME (MD AND TUD) *			25. WAS DIRECTIONAL
1193'-	1218"	SAITIA	14 CH	AD AND IVD)			SURVEY MADE
. , , ,	, ,,,		77 377				1/2
OR TYPE PIECTRIC	AND OTHER LOGS RUI						NO
IEL/G			, AID, H	VI		21.	NAS WELL CORED
28.			NG RECORD (Rep		set in well)	· · · · · · · · · · · · · · · · · · ·	
CASING SIZE	WEIGHT, LB./FT.	DEPTH SET	(MD) HO	LE SIZE	CEMI	ENTING RECORD	AMOUNT PULLED
							-
	~						
3	_						
		—					
29.	LI	NER RECORD		<u> </u>	30.	TUBING RECORD	
SIZE			SACKS CEMENT*	I SGREWY (ME	——] ————	· 1 · · · · · · · · · · · · · · · · · ·	T
			SACKS CEMENT.	SCREEN (MD	SIZE	DEPTH SET (MD)	PACKER SET (MD)
31. PERFORATION REC	CORD (Interval, size	and number)		1			
	(a (a)			32.		FRACTURE, CEMENT SQ	UEEZE, ETC.
				DEPTH INTI	CRVAL (MD)	AMOUNT AND KIND OF	MATERIAL USED
	·. . 			<u> </u>			
33.* DATE FIRST PRODUCT				DUCTION			
_			lowing, gas lift, p	umpingsize a	nd type of pum	WELL STAT shut-in)	US (Producing or
7-24-7		OWING				77701	15, 16 5 3
DATE OF TEST	HOURS TESTED	CHOKE SIZE	PROD'N. FOR TEST PERIOD	OIL-BÉL.	GAS-MCE	. WATER-BBL.	GAS-OIL RATIO
N	İ						
FLOW. TUBING PRESS.	CASING PRESSURE	CALCULATED 24-HOUR RATE	OIL-BBL.	GAS-M	CF. V	VATER-BBL. OIL	GRAVITY-API (CORR.)
]						
34. DISPOSITION OF G	AS (Sold, used for fu	el, vented, etc.)	····			TEST WITNESSED	вт
35. LIST OF ATTACH	MENTS						
36. I hereby certify	that the foregoing	and attached in	ormation is com-	olete and corre	t an determined	from all available record	
/,]	(1)	4:0:01	. 1	11-4	accountined		
SIGNED ha	ymon h. to	muan	A TITLE Z	asini	<u>/</u>	DATE	3-31-80

FORM OGC-8-X FINLE IN QUADRUPLICATE

CIRCULATE TO: AND STATE OF LITTAL
CIRCULATE TO: Mike There my cong state of utah DEPARTMENT OF NATURAL RESOURCES DEPARTMENT OF NATURAL RESOURCES DEPARTMENT OF NATURAL RESOURCES
DISTRICT OF BUILDING TO THE OWNER OF THE OWNER OWNER OF THE OWNER
DIVISION OF CIL, GAS, AND MINING
ADMINISTRATIVE ASSISTANT
ALL DETURN TO ALL SOR SNIME
TETORIN TO EXCEPT PORT FILLINGS
RETURN TO Key FOR FILING REPORT OF WATER ENCOUNTERED DURING DRILLING
WELL NAME & NUMBER
· · · · · · · · · · · · · · · · · · ·
OPERATOR Legg Resourses
Address 195 Sunlight DR. ERAND Jct. 6010 8
-
CONTRACTOR WHATLEY DRIG CO.
Address 15/2 West Prince Rd. GRANDS, ARIZ.
LOCATION (I) I to the location of the location
LOCATION $M E_{\frac{1}{4}}$ $\frac{1}{4}$; Sec. $\frac{1}{6}$; T. $\frac{20}{8}$; R. $\frac{24}{6}$
COUNTY GRAND
·
WATER SANDS:
DEPTH VOLUME: OUALITY:
From - to- Flow Rate or Head - Fresh or Salty -
2. 984 - 1018 5 bb/s HR. SAITV
3.
4.
5.
(Continue on Reverse Side if Necessary)
FORMATION TOPS: DAKOTA 880 887
BRUSHY BASIN 972
NOTE:
(a) Upon diminishing supply of forms, please inform this office.
(b) Report on this form as provided for in Rule C-20. General
Rules and Regulations and Rules of Practice and Procedure. (c) If a water quality analysis has been made of the above reported
zone, please forward a copy along with this form.

April 10, 1980

Legg Resources, Ltd. 2643 Dahlia Dr. Grand Junction, 81501

Re: Well No. Joyce State #1
Sec. 16, T. 20S, R. 24E.
Grand County, Utah

Gentlemen:

According to our records, a "Well Completion Report" filed with this office 3-31-80, from above referred to well indicates the following electric logs were run: IEL/GR, CDL/SNP/GR, AID, HVI. As of todays date this office has only received the following: COMPENSATED DENSITY NEUTRON LOG, INDUCTION GAMMA RAY LOG.

To complete our files, please forward the logs we do not have to this affice as soon as possible.


Your prompt attention to the above will be greatly appreciated.

Sincerely,

DIVISION OF OIL, GAS, AND MINING

JAMICE TARESH CLERK-TYPIST

٠,





4241 State Office Building • Salt Lake City, UT 84114 • 801-533-5771

October 4, 1984

Mutual Oil Of America Incorporated P.O. Drawer 1446 Santa Fe, New Mexico 87501

Gentlemen:

Re: Well No. Joyce State #1 - Sec. 16, T. 20S., R. 24E.
Grand County, Utah - API #43-019-30410 - Lease #ML30780 A

According to information received by this office, Lease #ML-30780 A which formerly belonged to Legg Resources, Ltd. now belongs to your company. We have not received the proper notification concerning this change as it pertains to the above referred to well.

Please send in a "Sundry Notice", Form OGC-1b with your company's name, address and phone number as the new operator and the date the change became effective. We have enclosed forms for your convenience.

Thank you for your prompt attention to the above matter.

Sincerely,

Claudia Jones

Well Records Specialist

Claudia Jones


clj

Enclosure

cc: Dianne R. Nielson Ronald J. Firth John R. Baza File 00000008/7

STATE OF UTAH PEPARTMENT OF NATURAL RESOURCES DIVISION OF OIL GAS AND MINING

	DEPARTN	MENT OF NATURAL RE				
	DIVISIO	ON OF OIL, GAS, AND	MINING	Γ	5. LEASE DESIGNATION	AND BERIAL NO.
					ML30780A	
SUNE	RY NOT	ICES AND REPORTS	ON WELLS		5. IF INDIAN, ALLOTTER	OR TRIBE NAME
(Do not use this fo	orm for propose	als to drill or to deepen or nin	ON WELLS			
	Use "APPLICA	TION FOR PERMIT—" for suc	ig back to a different reservoir.			
OIL UAS [₹			_	7. UNIT AGREEMENT NA	M.S
Wall Wall	OTHER			1		
NAME OF OPERATOR				7	B. FARM OR LEASE NAM	3
MUTUAL OIL	OF AMERI	ICA, INC.	·	1		·
ADDRESS OF OPERATOR). WELL NO.	
350 S. CENT	ER, SUIT	re 465 RENO, N	EVADA 89501		92090	
LOCATION OF WELL (Re See also space 17 belov At surface	port location ci	early and in accordance with a	any State requirements.		10. FIELD AND POOL, OR	WILDCAT
T20S, R24E,	Sec. 16	5: NE1/4 NE1/4		-	11. SSC., T., R., M., OR B SURVEY OR AREA	LE. AND
PERMIT NO.		15. SLEVATIONS (Show whether	r OF, RT. GR. ste.)		12. COUNTY OR PARISM	18. GTATE
43-019-3	Postin		,		GRAND	UTAH
		<u> </u>				<u> </u>
	Check Ap	propriate Box To Indicate	Nature of Notice, Report,	or Oth	ner Data	
ж	TICE OF INTEN	TION TO:		KEUPESE	T AMPORT OF:	
TEST WATER SHUT-OF	_	BUILT OF TEXAS			REPAIRING W	TELL TO
ABET WATER BEUT-OFT	' ⊢ ⊣ '	PULL OR ALTER CASING	WATER SHUT-OFF	 	ALTERING CA	
784CT****			WE	1		
PRACTURE TREAT		MULTIPLE COMPLETE	PRACTURE TREATMENT	, —		
SHOOT OR ACIDIZE		ABANDON*	SHOUTING OR ACIDIZING		ABANDONMEN	
SHOOT OR ACIDIZE REPAIR WELL (Other)	COMPLETED OPE	ABANDON® CHANGE PLANS	SHOUTING OR ACIDIZING (Other)CHANGE	esults of completi	ABANDONMEN OPERATOR multiple completion on Report and Log form	on Well m.) + ////
SHOOT OR ACIDIZE REPAIR WELL (Other) DESCRIBE PROPOSED OR proposed work. If nent to this work.)	COMPLETED OPE	ABANDON® CHANGE PLANS	SHOUTING OR ACIDIZING (Other) CHANGE (Norg: Report re (norg) etc.	esults of completi	ABANDONMEN OPERATOR multiple completion on Report and Log form	on Well m.) + ////
SHOOT OR ACIDIZE REPAIR WELL (Other) DESCRIBE PROPOSED OR proposed work. If nent to this work.)	COMPLETED OPE	ABANDON® CHANGE PLANS	SHOUTING OR ACIDIZING (Other) CHANGE (Norg: Report re (norg) etc.	esults of completi	ABANDONMEN OPERATOR multiple completion on Report and Log form	on Well m.) + ////
SHOOT OR ACIDIZE REPAIR WELL (Other) DESCRIBE PROPOSED OR proposed work. If nent to this work.)	COMPLETED OPE	ABANDON® CHANGE PLANS	SHOUTING OR ACIDIZING (Other) CHANGE (Norg: Report re (norg) etc.	esults of completi	ABANDONMEN OPERATOR multiple completion on Report and Log form	on Well m.) + ////
SHOOT OR ACIDIZE REPAIR WELL (Other) DESCRIBE PROPOSED OR proposed work. If nent to this work.)	COMPLETED OPE	ABANDON® CHANGE PLANS	SHOUTING OR ACIDIZING (Other) CHANGE (Norg: Report re (norg) etc.	esults of completi	ABANDONMEN OPERATOR multiple completion on Report and Log form	on Well m.) + ////
SHOOT OR ACIDIZE REPAIR WELL (Other) DESCRIBE PROPOSED OR proposed work. If nent to this work.)	COMPLETED OPE	ABANDON® CHANGE PLANS	SHOUTING OR ACIDIZING (Other) CHANGE (Norg: Report re (norg) etc.	esults of completi	ABANDONMEN OPERATOR multiple completion on Report and Log form	on Well m.) + ////
SHOOT OR ACIDIZE REPAIR WELL (Other) DESCRIBE PROPOSED OR proposed work. If nent to this work.)	COMPLETED OPE	ABANDON® CHANGE PLANS	SHOUTING OR ACIDIZING (Other) CHANGE (Norg: Report re (norg) etc.	esults of completi	ABANDONMEN OPERATOR multiple completion on Report and Log form	on Well m.) + ////
SHOOT OR ACIDIZE REPAIR WELL (Other) DESCRIBE PROPOSED OR proposed work. If nent to this work.)	COMPLETED OPE	ABANDON® CHANGE PLANS	SHOUTING OR ACIDIZING (Other) CHANGE (Norg: Report re (norg) etc.	esults of completi	ABANDONMEN OPERATOR multiple completion on Report and Log form	on Well m.) + ////
SHOOT OR ACIDIZE REPAIR WELL (Other) DESCRIBE PROPOSED OR proposed work. If nent to this work.)	COMPLETED OPE	ABANDON® CHANGE PLANS	SHOUTING OR ACIDIZING (Other) CHANGE (Norg: Report re (norg) etc.	esults of completi	ABANDONMEN OPERATOR multiple completion on Report and Log form	on Well m.) + ////
SHOOT OR ACIDIZE REPAIR WELL (Other) DESCRIBE PROPOSED OR proposed work. If nent to this work.)	COMPLETED OPE	ABANDON® CHANGE PLANS	SHOUTING OR ACIDIZING (Other) CHANGE (Norg: Report re (norg) etc.	esults of completi	ABANDONMEN OPERATOR multiple completion on Report and Log form	on Well m.) + ////
SHOOT OR ACIDIZE REPAIR WELL (Other) DESCRIBE PROPOSED OR proposed work. If nent to this work.)	COMPLETED OPE	ABANDON® CHANGE PLANS	SHOUTING OR ACIDIZING (Other) CHANGE (Norg: Report re (norg) etc.	esults of completi	ABANDONMEN OPERATOR multiple completion on Report and Log form	on Well m.) + ////
SHOOT OR ACIDIZE REPAIR WELL (Other) DESCRIBE PROPOSED OR proposed work. If nent to this work.)	COMPLETED OPE	ABANDON® CHANGE PLANS	SHOUTING OR ACIDIZING (Other) CHANGE (Norg: Report re (norg) etc.	esults of completi	ABANDONMEN OPERATOR multiple completion on Report and Log form	on Well m.) + ////
SHOOT OR ACIDIZE REPAIR WELL (Other) DESCRIBE PROPOSED OR proposed work. If nent to this work.)	COMPLETED OPE	ABANDON® CHANGE PLANS	SHOUTING OR ACIDIZING (Other) CHANGE (Norg: Report re (norg) etc.	esults of completi	ABANDONMEN OPERATOR multiple completion on Report and Log form	on Well m.) + ////
SHOOT OR ACIDIZE REPAIR WELL (Other) DESCRIBE PROPOSED OR proposed work. If nent to this work.)	COMPLETED OPE	ABANDON® CHANGE PLANS	SHOUTING OR ACIDIZING (Other) CHANGE (Norg: Report re (norg) etc.	esults of completi	ABANDONMEN OPERATOR multiple completion on Report and Log form	on Well m.) + ////
SHOOT OR ACIDIZE REPAIR WELL (Other) DESCRIBE PROPOSED OR proposed work. If nent to this work.)	COMPLETED OPE	ABANDON® CHANGE PLANS	SHOUTING OR ACIDIZING (Other) CHANGE (Norm: Report reforms or Re	esults of completi	ABANDONMEN OPERATOR multiple completion on Report and Log form	on Well m.) + ////
SHOOT OR ACIDIZE REPAIR WELL (Other) DESCRIBE PROPOSED OR proposed work. If nent to this work.)	COMPLETED OPE	ABANDON® CHANGE PLANS	SHOUTING OR ACIDIZING (Other) CHANGE (Norm: Report reforms or Re	esults of completi	ABANDONMEN OPERATOR multiple completion on Report and Log form	on Well m.) + ////
SHOOT OR ACIDIZE REPAIR WELL (Other) DESCRIBE PROPOSED OR proposed work. If nent to this work.)	COMPLETED OPE	ABANDON® CHANGE PLANS	SHOUTING OR ACIDIZING (Other) CHANGE (Norm: Report reforms or Re	esults of completi	ABANDONMEN OPERATOR multiple completion on Report and Log form	on Well m.) + ////
SHOOT OR ACIDIZE REPAIR WELL (Other) DESCRIBE PROPOSED OR proposed work. If nent to this work.)	COMPLETED OPE	ABANDON® CHANGE PLANS	SHOUTING OR ACIDIZING (Other) CHANGE (Norm: Report reforms or Re	esults of completi	ABANDONMEN OPERATOR multiple completion on Report and Log form	on Well m.) + ////
SHOOT OR ACIDIZE REPAIR WELL (Other) DESCRIBE PROPOSED OR proposed work. If nent to this work.)* SEPTEMBER 1	COMPLETED OPEN well is direction, 1984	ABANDON® CHANGE PLANS RATIONS (Clearly state all pertinally drilled, give subsurface is	SHOOTING OR ACIDIZING (Other)CHANCE; (Note: Report recompletion or Recompletion or Recompletion or Recompletion or Recompletion and measured and true to the second control of the second control	OF esuits of completi dates, in vertical of	ABANDONMEN OPERATOR multiple completion of an Report and Log for cluding estimated date depths for all markers	on Well m.) + ////
SHOOT OR ACIDIZE REPAIR WELL (Other) DESCRIBE PROPOSED OR proposed work. If nent to this work.)	COMPLETED OPEN well is direction, 1984	ABANDON® CHANGE PLANS RATIONS (Clearly state all pertinally drilled, give subsurface is	SHOOTING OR ACIDIZING (Other)CHANCE; (Note: Report recompletion or Recompletion or Recompletion or Recompletion or Recompletion and measured and true to the second control of the second control	OF esuits of completi dates, in vertical of	ABANDONMEN OPERATOR multiple completion of an Report and Log for cluding estimated date depths for all markers	on Well m.) + ////
SHOOT OR ACIDIZE REPAIR WELL (Other) DESCRIBE PROPOSED OR proposed work. If nent to this work.)* SEPTEMBER 1	COMPLETED OPEN well is direction, 1984	ABANDON® CHANGE PLANS RATIONS (Clearly state all pertinally drilled, give subsurface is	SHOUTING OR ACIDIZING (Other) CHANGE (Norm: Report reforms or Re	OF esuits of completi dates, in vertical of	ABANDONMEN OPERATOR multiple completion of an Report and Log for cluding estimated date depths for all markers	on Well m.) + ////
SMOOT OR ACIDIZE REPAIR WELL (Other) DESCRIBE PROPOSED OR proposed work. If nent to this work.)* SEPTEMBER S. I hereby certify that	the foregoing in	ABANDON® CHANGE PLANS RATIONS (Clearly state all pertionally drilled, give subsurface is true and correct TITLE	SHOOTING OR ACIDIZING (Other)CHANCE; (Note: Report recompletion or Recompletion or Recompletion or Recompletion or Recompletion and measured and true to the second control of the second control	OF esuits of completi dates, in vertical of	ABANDONMEN OPERATOR multiple completion of an Report and Log for cluding estimated date depths for all markers	on Well m.) + ////
SMOOT OR ACIDIZE REPAIR WELL (Other) DESCRIBE PROPOSED OR proposed work. I's nent to this work.)* SEPTEMBER SEPTEMBER BIGNED	the foregoing in	ABANDON® CHANGE PLANS RATIONS (Clearly state all pertionally drilled, give subsurface is true and correct TITLE	SHOOTING OR ACIDIZING (Other)CHANCE; (Note: Report recompletion or Recompletion or Recompletion or Recompletion or Recompletion and measured and true to the second control of the second control	OF esuits of completi dates, in vertical of	ABANDONMEN OPERATOR multiple completion of an Report and Log for cluding estimated date depths for all markers	on Well m.) + ////





355 W. North Temple • 3 Triad Center • Suite 350 • Salt Lake City, UT 84180-1203 • 801-538-5340

March 8, 1985

CERTIFIED RETURN RECEIPT REQUESTED P-402-457-102

Mr. Lewis Eslick, President Mutual Oil of America 350 South Center Street Suite # 465 Reno. Nevada 89501

Dear Mr. Eslick:

RE: Utah State Oil and Gas leases ML-30780-A, ML-30780, ML-3820, Grand County, Utah.

According to the records of the Division of State Lands and Forestry, your company is the current lease owner of the above referenced leases. On these leases exist the following wells.

ML-30780-A

√Joyce State #1 T.20S, R.24E, Sec.16

ML-30780

Daymon Gilliland State 16-1, T.20S, R.24E, Sec.16

ML-3820

Smith-Whyte State #2, T.21S, R.23E, Sec.25
Whyte State #2, T.21S, R.23E, Sec.24
Mezo State #1, T.21S, R.23E, Sec.25
Smith Lease #2, T.21S, R.23E, Sec.23
Paulsen State 23-3, T.21S R.23E, Sec.23
Paulsen 26-1, T.21S, R. 23E, Sec.26
Whyte State #5, T.21S, R.23E, Sec.24

These wells are currently in violation of the Division of Oil, Gas and Mining, Rules and Regulations. An itemized list of the incidences of noncompliance is attached.

Page 2 Mutual Oil Company of America March 8, 1985

Please inform this office of your intent concerning the above requirements to avoid further action. Your prompt attention to correct these matters will be greatly appreciated.

Respectfully,

William Moore

Oil and Gas Field Specialist

Attachments cc: R.J. Firth J.B. Baza Well File 9686T-66-67 A-5% Chment

JOYCE STATE #1, (92090), T.20S, R.24E, Sec.16, ML-30780-A, Grand County, Utah.

This well lacks legal identification which is a violation of C-7-Identification. This Rule states that every well shall be ified by a sign posted in a cospicuous place near the well. sign shall show the number of the well and the name of the or operator, the lease name, and the location by quarter, lon, township, range.

efore this well is produced, measurement facilities must be lead on the lease or a waiver obtained to have measurement ities located off the lease.

DAYMON GILILLAND STATE #16-1, T. 20S, R. 24E, Sec. 16, ML-30708, Grand County, Utah.

his well also lacks legal identification which is a violation le C-7-Identification as stated above. There also exists a ve pit left over from drilling operations that must be filled. reserve pit is a violation of Rule C-17-Pollution and Surface e which requires that the surface be rehabilitated upon etion of use. this office has also not yet received your nation of operator for this well since you've taken over ship. This is a violation of Rule A-4 which states that this pe filed immediately upon change of ownership.

= AULSON STATE 23-3, T.21S, R.23E., ML-3820, Grand County, Utah.

This well lacks legal identification which is a violation of Rule dentification as stated above. This well is also leaking oily through a worn valve and subsequently polluting the site. is a violation of Rule C-17 above, further state that all hable precautions be taken to avoid pollution, and Rule rice Hazardson Surface which states that all waste oil and/or hall be burned or disposed of in a manner to avert creation of a hazard and hsall be removed to a distance of at least 100 from the well location, tanks and separator or any structure. Well is also in violation of Rule A-4 above and should have the hation of operator immediately filed.

MITH LEASE #2, T.21S, R.23E, Sec.23, ML-3820, Grand County, Utah.

is well lacks legal identification which is a violation of 2-7 as stated above. this well also has lacked a designation rator since you have received the lease which is a violation e A-4. Page 2 Attachment Mutual Oil Company March 8, 1985

WHYTE-STATE #5, T.21S, R.23E, Sec.24, ML-3820, Grand County, Utah.

This well is an open pipe full of oil with no legal identification. this violates Rule C-7-Identification as stated above, in addition to a lack of a designation of operator.

WHYTE-STATE #2, T.21S, R.23E, Sec.24, ML-3820, Grand County, Utah.

This well lacks legal identification which is a violation of Rule C-7 as stated above. this well also has abundant trash and debris around the site and pits left unrehabilitated which are violations of rule C-14 where all rubbish or debris that might constitute a fire hazard must be removed and Rule C-17 on Surface damage as stated above. Also a designation of operator must be submitted.

MEZO STATE #1, T.21S, R.23E, Sec.25, ML-3820, Grand County, Utah.

This well lacks legal identification which is a violation of Rule C-7 as stated above. this well also has abundant trash and devris that constitute pollution and fire hazards which are violations of Rules C-14 and C-17 as stated above. also a designation of operator must be submitted.

SMITH-WHYTE STATE #2, T.21S, R.23E, Sec.25, ML-3820, Grand County, Utah.

This well lacks legal identification which is a violation of Rule C-7 as stated above. the tank on this site should also be diked and sealed before any production commences. This well also needs a designation of operator filed.

PAULSEN 26-1, T.21S, R.23E, Sec.26, ML-3820, Grand County, Utah.

This well lacks legal identification which is a violation of Rule C-7 as stated above. the site also has abundant trash, an old car motor which must be removed and a small pit that needs to be filled to satisfy Rules C-14 and C-17. A designation of operator ust be filed.



UTUAL OIL of AMERICA INC

March 15, 1985

RECEIVED

MAR 2 0 1985

Mr. William Moore
Oil and Gas Field Specialist
State of Utah Natural Resources
355 W. North Temple
3 Tiad Center
Salt Lake City, Utah 84180

DIVISION OF OIL GAS & MINING

Re: Utah State Oil and Gas Leses ML-30780-A, ML-30780, ML-3820, Grand County, Utah

Dear Mr. Moore:

Your letter dated March 8, 1985, addressed to Mr. Lewis Eslick, President of Mutual Oil of America, Inc., has been forwarded to me for reply.

The leases referred above have been sold by Mutual Oil to Gililland Energy Corporation and a specific assignment thereof will be filed by such purchaser with your office very shortly.

Thank you for bringing this matter to our attention.

Very truly yours

GEORGE A GUYNES

GENERAL COUNSEL

GAG: kd

P. O. Box 1844 Grand Junction, CO 81502 (303) 241-3292



March 12, 1985

Division of Oil, Gas and Miming 355 West North Temple, 3 Triad Center, Suite 350 Salt Lake City, UT 84180-1203

Re: Additions to Producing Entity Action Form

Gentlemen:

Operating as Gililland Energy Corporation, a Utah corporation, I have acquired the following wells in addition to the wells listed on the attached form:

T17S, R25E, Grand County, Utah

Section 13: SWSW 43-019-30412 Brushy Basin Lansdale Fed. 13-13 Well

RECEIVED

Section 14: SWNE 43-019-30279 Brushy Basin Lansdale Fed. 14-1 Well

MAK _ 8 _ 355

DAYISION OF OIL

T18S, R25E, Grand County, Utah

Section 27: NWSW 43-019-30037 Morrison Lansdale Gov't #8 Well

Section 27: SESE 43-019-30996 Morrison
Lansdale Gov't 27-44 Well
(Formerly the West Bitter Creek 27-44 Well)

Section 33: SWSE 43-019-20247 Morrison Lansdale Gov't #1 Well

Section 35: SWNW 43-019-30017 Morrison Lansdale Gov't #15

T19S, R25E, Grand County, Utah

Section 3: NWSW 43-019-30003 Entrada Lansdale #4

Should you have any questions, please call.

Sincerely,

Daywon D. Gililland

President of Gililland Energy Corporation

STATE OF UTAH DEPARTMENT OF NATURAL RESOURCES DIVISION OF OUR CAS AND MINING



DIVISI	ION OF OIL, GAS, AND MI	NING	5. LEASE DESIGNATION AND SE	RIAL NO.
			ML-30780-A	
(Do not use this form for propo Use "APPLIC	IICES AND REPORTS (sals to drill or to deepen or plug ATION FOR PERMIT—" for such p	ON WELLS	6. IF INDIAN, ALLOTTEE OR TRI	IBE NAME
OIL GAS OTHER		2000	7. UNIT AGREEMENT NAME	
2. NAME OF OPERATOR		GCT 2 8 1985	8. PARM OR LEASE NAME	
Daymon D. Gililland			Joyce-State	
8. ADDRESS OF OPERATOR	7 1: 00 0	DIVISION UF OIL	9. WELL NO.	
P.O. Box 1844, Grand	Junction, CO 8	L JUMARC O LALL	#1	
4. LOCATION OF WELL (Report location of See also space 17 below.) At surface	Rearry and in accordance with any	State requirements.	Greater Cisco	
			11. SEC., T., R., M., OR BLE. AND	
	-	·	NE 4NE 2 Sec. 16, T20S, R24E	
14. PERMIT NO.	15. ELEVATIONS (Show whether DE	, RT, GR, etc.)	12. COUNTY OR PARISH 18. 81	FATE
43-019-30410			Grand Uta	ah
16. Check A	ppropriate Box To Indicate N	lature of Notice Report or	Other Data	
NOTICE OF INTEN			QUENT REPORT OF:	
		-		
	PULL OR ALTER CASING MULTIPLE COMPLETE	WATER SHUT-OFF	REPAIRING WELL ALTERING CASING	
	ABANDON*	FRACTURE TREATMENT SHOOTING OR ACIDIZING	ABANDONMENT*	
REPAIR WELL	CHANGE PLANS		ator/Name	
(Other)		(NOTE: Report resul	ts of multiple completion on Well upletion Report and Log form.)	
 DESCRIBE PROPOSED OR COMPLETED OPE proposed work. If well is directionent to this work.) * 	RATIONS (Clearly state all pertinen onally drilled, give subsurface local	t details, and give pertinent date tions and measured and true vert	s, including estimated date of sta ical depths for all markers and zo	rting any nes perti-
The correct name for	the well is Joyc	ce-State #1 Well.		
Grand	on D. Gililland Box 1844 I Junction, CO 83 241-3292	1502		
Rer	tual Oil of Americ O S. Center Street no, NV 89501 O2) 323-0261			
Effective Date: Feb	oruary 24, 1985			
18. I hereby certify that the foregoing	s true and correct			
SIGNED LAYMON W- HA	ililians TITLE O	perator	DATE 10-24-85	5
(This space for Federal or State off	ice use)TITLE		DATE	
CONDITIONS OF APPROVAL, IF				

COMPANY: Daymond Gilllad DATE: 1-24-86 TIME: 3:34p	
PERSONAL CONTACT DOCUMENTATION	
CONTACT: Daymond 1). Gililland	
CONTACT TELEPHONE NO: returned call	
SUBJECT: Grand Court wells, Paulson st. 23-3 215,23E, 23; Whyte State #2, 215,23E, 26 Smith Whyte-state #2, 215,23E, 25; Paulson 26-1 215,23E, 26; Gililland State (6-1,205; 211=,16; Doyce state #1, 205, 24E, 16; Smith lease #12, 215,23E, 23; Mezo State #1 215, 23E, 25; Whytestate #5, 215, 23E, 24. Put op sign's within 90 de then the rest of world to be done by July 1, 1986 due to large (Use attachments if necessary)	•
been yesteing on sales compressor to got wells on line and will soon be Sinished	
(Use attachments if necessary) CONTACTED BY: Wy Woose	



Norman H. Bangerter, Governor Dee C. Hansen, Executive Director Dianne R. Nielson, Ph.D., Division Director

355 W. North Temple • 3 Triad Center • Suite 350 • Salt Lake City, UT 84180-1203 • 801-538-5340

February 7, 1986

Daymond D. Gililland P.O. Box 1844 Grand Junction, Colorado 81502

Dear Mr. Gililland:

RE: Problem Wells in Grand County, Utah

Several problems exist on the attached list of well sites and these problems remain an ongoing concern to the Division. Based on a conversation between yourself and Mr. William Moore of this Division on January 24, 1986, and in consideration of the large amount of work to be completed, the Division staff has determined that immediate action is necessary for resolution of these problems. Appropriate time periods for installation of legal identification on the sites should take no longer than 90 days and the remainder of the problems should be resolved before July 1, 1986.

You are requested to take action to correct the listed problems within the time frames specified. Please submit written notice to the Division upon completion of any corrective action taken at each well site so that follow up inspections can be arranged. Thank you for your prompt attention in this matter.

Sincerely,

John R. Bazà

Petroleum Engineer

WM/sb

cc: D.R. Nielson

R.J. Firth

Well Files

0214T-20-21

Attachment 1

JOYCE STATE #1 (92090), SEC.16, T.20S, R.24E, ML-30780-A Install Identification

DAYMON GILILLAND STATE #16-1, SEC.16, T.20S, R.24E, ML-30708

1. Install Identification

2. Rehabilitate the reserve pit leaving only enough for use as an emergency pit

PAULSON STATE #23-3, SEC.23, T.21S, R.23E, ML-3820

1. Install identification

- 2. Clean up and dispose of oily waste from well
- 3. Replace leaky well valve

PAULSON STATE #23-2, SEC.23, T.21S, R.23E, ML-3820

- 1. Install identification
- 2. Clean trash from site

WHYTE STATE #5, SEC.24, T.21S, R.23E, ML-3820,

Install identification

2. Seal off production tubing which is currently open

WHYTE STATE #2, SEC.24, T.21S, R.23E, ML-3820

- Install identification
- 2. Clean trash from site
- 3. Rehabilitate pit

SMITH WHYTE STATE #1, SEC.25, T.21S, R.23E, ML-3820

- 1. Install identification
- 2. Clean trash from site
- Seal off well tubing which is currently open

SMITH WHYTE STATE #2, SEC.25, T.21S, R.23E, ML-3820

1. Install identification

2. Clean trash from site

PAULSON #26-1, SEC.26, T.21S, R.23E, ML-3820

- 1. Install identification
- 2. Clean trash from site
- 3. Rehabilitate pit

	TAH OF OIL. GAS AN TON FORM - DO		JUL 2 3 19	7ED 87	OPERATOR All ADDRESS LO, ANDRESS	llan Box L gu	d; h	Jaym jon, C	BAN P	OPEF PHON		807	1-329:
			DIVISION O	F				150				0811	12
	The second second second		DDI AN LNEGAS & MA	WHEN CHANG	E IN OPERATIONS OR	INTERESTS	NECESSI		LOCATIO	EXISTING EN	SPI	ER ASSIGN	MENT. FFECTIVE
ACT MON CODE	CURRENT ENTITY NO.	NEW ENTITY NO.					99	SC TP	RG	COUNTY	DA		DATE
D	09735		4301930410	goyce	e State 4	41	NENEI	6 20	24E 9	frans		7	1-19-87
COMMENTS:	new	ower	· Yell	DISSI	tor is	As.	sold	M.	Que	inn			
						67	2 L and	ask	ion	on Cl	N 3 815	506	
D	09210		4301930668	Sta	te 16-1		NESTU	16 205	24E -	krant	4_		-19-87
COMMENTS:	Same	e as	4301930668 above	٧.	No E well.	Intity DtS	, ch	inged - 29-	67)	gurid	onc	then	
		·						, . l	<u> </u>				
COMMENTS:	·						<u> </u>	_ <i>Cl</i>	ringe	of ope	erafor -	l,	 -
								$\widetilde{\mathcal{I}}$	den	of ope	who		
	HILDER C. FR. T. B. Train.		· · · · ·	<u> </u>			l l	- nc	eds 7	6 see y	4.3		
										Drs			
COMMENTS:		-								7-29-	-87		
			* 1										• •
													,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,
COMMENTS:	l		<u> </u>				1		.1				

ACTION CODES: A - ESTABLISH NEW ENTITY FOR NEW WELL

B - ADD NEW WELL TO EXISTING ENTITY

C. - RE-ASSIGN WELL FROM ONE EXISTING ENTITY TO ANOTHER EXISTING ENTITY

D - RE-ASSIGN WELL FROM ONE EXISTING ENTITY TO A NEW ENTITY

E - OTHER (EXPLAIN IN COMMENTS SECTION)

(SEE .INSTRUCTIONS)

Magmon W. Bililles Oserator 7-19-8,

•

FORM 9	DIVISION OF OIL, GAS AND MININ					
	DIVIDION OF OIL, GAS AND MINNE	vG	5. Lease Designation and Serial Number:			
SUNDF	RY NOTICES AND REPORTS	ON WELLS	6. If Indian, Allottee or Tribe Name:			
Do not use this form for p Use A	roposals to drill new wells, deepen existing wells, or to reente PPLICATION FOR PERMIT TO DRILL OR DEEPEN form for su	er plugged and abandoned wells. ach proposals.	7. Unit Agreement Name:			
1. Type of Well: OIL GAS	S 🔀 OTHER:		8. Well Name and Number: Jeyce STATE #/			
2. Name of Operator: GERALD IN.	QUINN		9. API Well Number: 43 01930 410			
3. Address and Telephone Number:	K LN GRAND SUNCTEN	ce 81806	10. Field and Pool, or Wildcat:			
Location of Weil Footages:			County:			
QQ, Sec.,T.,R.,M.: Sec	= 16 T205 R24R	, a	State:			
11. CHECK APP	ROPRIATE BOXES TO INDICATE N	ATURE OF NOTICE, REPO	ORT, OR OTHER DATA			
	TICE OF INTENT Submit in Duplicate)	SUBSEQUENT REPORT (Submit Original Form Only)				
☐ Abandonment	□ New Construction	☐ Abandonment *	☐ New Construction			
Casing Repair	☐ Pull or Alter Casing	☐ Casing Repair	☐ Pull or Alter Casing			
☐ Change of Plans	☐ Recompletion	☐ Change of Plans	☐ Shoot or Acidize			
☐ Conversion to Injection	☐ Shoot or Acidize	☐ Conversion to Injection	☐ Vent or Flare			
☐ Fracture Treat	☐ Vent or Flare	☐ Fracture Treat ☐ Water Shut-Off				
☐ Multiple Completion	☐ Water Shut-Off	Other ANNUAL BTATUS REPORT				
Other						
Ammanda,		Date of work completion				
Approximate date work will st	ert	 Report results of Multiple Completions and Recompletions to different reservoirs on WELL COMPLETION OR RECOMPLETION AND LOG form. * Must be accompanied by a cement verification report. 				
DESCRIBE PROPOSED OR COMPLI vertical depths for all markers and zero.	ETED OPERATIONS (Clearly state all pertinent details, and giones pertinent to this work.)	leve pertinent dates. If well is directionally drill	ed, give subsurface locations and measured and true			
Well	15 SAUT IN - IF CAN	TRANSFER OU	UNGERHIP			
W; LZ	BR LOCKING TO PLA	v s.)				
			RECEIVEU			

JAN 0 4 1993

DIVISION OF OIL GAS & MINING

Name & Signature:

Great M. Quen

Date: 12/30/82

(This space for State use only)

13.



Michael O. Leavitt Governor Ted Stewart Executive Director Scott Hirschi 801-538-5508
Division Director 801-355-0922 (Fax)

3 Triad Center, Suite 400 355 West North Temple Salt Lake City, Utah 84180-1204 801-538-5508

May 18, 1993

CERTIFIED MAIL NO. P 879 599 652

Earl E. Fix, Guy D. Cherp, and Gerald M. Quinn c/o Gerald M. Quinn 672 Larkspur Lane Grand Junction, CO 81501

Gentlemen:

RE:

Cancellation and Reclamation of Drilling Operations on State of Utah Oil, Gas, and Hydrocarbon Leases ML 30780 and ML 30780-A; Home Insurance Company Bond No. NB 71 98 97

Due to non-payment of annual rental, State of Utah Oil, Gas, and Hydrocarbon Leases ML 30780 and ML 30780-A were cancelled by the Division's Accounting Section on September 21, 1992. However, before the records of these leases can be closed, it will be necessary to properly plug, abandon, and reclaim several wells and locations on acreage covered by these leases.

Your immediate attention in complying with the terms of these leases through the plugging, abandonment, and reclamation of the Joyce State #1 and the Gililland State #16-1 wells, both located in Section 16, Township 20 South, Range 24 East, SLB&M., is requested.

Please provide this office, within the next 15 days, your proposed schedule regarding reclamation and abandonment of wells and locations under this lease.

If you have any questions concerning this matter please contact this office.

Edward W Bornse

EDWARD W. BONNER

MINERALS SECTION MANAGER

EWB/tdw

cc:

Marjorie Bain

Home Loan & Investment Company Insurance Division 145 North 4th Street Grand Junction, CO 81502

Home Insurance Company 6000 Greenwood Plaza Blvd. Greenwood Village, CO 80111 Lease:STATE ML-30780 Well #:STATE # 1

Spud Date: 12/26/1977


API #: 43-Ø19-3Ø41Ø--

Location: Sec 16 Twn 20S Rng 24E County: GRAND

Comp Date: Ø7/24/1979

State: UTAH Field: GREATER CISCO

Operator: GERALD M. QUINN



Well name:

State # 1

API No.:

43-019-30410

Location:

Section 16, T. 20S, R. 24E

County:

Grand

1. File sundry notice of work for approval. May file sundry notices for both wells at the same time.

2. Notify the Division 24 hours prior to starting plugging operations.

PLUGGING PROCEDURE

- 1. Remove well head.
- 2. Fill all annuli, top to bottom with 7 sx mortar mix. (NO GRAVEL).
- 3. Install standard dry hole marker, with legal identification. Well name and number, section, township, range.
- 4. Level area around dry hole marker.
- 5. Remove all debris.

STE OF UTAH DEPARTMENT OF NATURAL RESOURCES

	6. Lease Designation and Serial Number
i	State ML-30780
1	

DIVISION OF OIL, GAS AND MINING	State ML-30780		
SUNDRY NOTICES AND REPORTS ON	7. Indian Allottee or Tribe Name		
Do not use this form for proposals to drill new wells, deepen existing wells, or to reen Use APPLICATION FOR PERMIT— for such propose		8. Unit or Communitization Agreement	
. Type of Well Oil Well Other (specify)		9. Well Name and Number State #1	
. Name of Operator Gerald M. Quinn		10. API Well Number 43-019-30410	
8. Address of Operator 81501 672 Larkspur Lane, Grand Junction, CO.	4. Telephone Number 3 0 3 - 2 4 2 - 8 8 7 9	11. Field and Pool, or Wildcat Greater Cisco	
Check Appropriate Boxes To Indicate NA		: UTAH	
NOTICE OF INTENT (Submit in Duplicate)	SUBSE	QUENT REPORT Original Form Only)	
Abandonment	Abandonment * Casing Repair Change of Plans Conversion to Injection Fracture Treat Other Date of Work Completion	New Construction Pull or Alter Casing Shoot or Acidize Vent or Flare Water Shut-Off ions and Recompletions to different reservoirs OMPLETION AND LOG form.	
3. DESCRIBE PROPOSED OR COMPLETED OPERATIONS (Clearly state all pertine locations and measured and true vertical depths for all markers and zones pertined. 1. Move in equipment and materials to Page 2. Remove wellhead. 3. Fill well bore and annulus with 7sx 114. Erect regulation marker. 5. Clean location and level area around	ent to this work.) &A well. mortar mix.	If well is directionally drilled, give subsurface	
		RECEIVED	

JUN C B 1993

DIVISION OF

14. I hereby certify that the foregoing is true and correct

Name & Signature William Rippy Jr.

Date 6/24/93

(State Use Only)

STATE OF UTAH DIVISION OF OIL, GAS AND MINING ABANDONMENT OPERATIONS

COMPANY NAME: GERALD QUINN
WELL NAME: JOYCE STATE # 1
QTR/QTR: NE/NE SECTION: 16 TOWNSHIP: 20S RANGE: 24E
COUNTY: GRAND API NO: 43-019-30410
CEMENTING COMPANY: BILL RIPPY WELL SIGN: Y
INSPECTOR: GLENN GOODWIN TIME: 9:30 AM DATE: 7/23/93
CEMENTING OPERATIONS: PLUGBACK: SQUEEZE: P&A WELL: Y
SURFACE PLUG: Y INTERMEDIATE PLUG:
BOTTOM PLUG SET @: 1363' WIRELINE: MECHANICAL:
PERFORATIONS: 1193-1218' SQUEEZE PRESSURE:
CASING SIZE: SURFACE: 4 1/2" PRODUCTION: PRODUCTION:
PRODUCTION CASING TESTED TO: PSI TIME: MIN:
SLURRY INFORMATION: (INCLUDE NO. OF SACKS CLASS AND ADDITIVES)
1.SURFACE PLUG: CEMENT FROM BOTTOM TO SURFACE.
2.INTERMEDIATE PLUGS:
3.BOTTOM PLUG:
4.CEMENT ON TOP OF PLUG:
5.ANNULUS CEMENTED: CEMENTED FROM BOTTOM TO TO SURFACE.
6.FLUID IN WELL BORE:
ABANDONMENT MARKER SET:
PLATE: PIPE:Y CORRECT INFORMATION:Y
REHABILITATION COMPLETED: Y
COMMENTS: READY-MIX CLASS "G" CEMENT. FILLED CASING INSIDE AND
OUT. INSTALLED MARKER AND REHAB'D LOCATION.

STATE OF UTAH DEPARTMET OF NATURAL RESOURCES

6. Lease Designation and Serial Number
State ML-30780

DIVISION OIL, GAS AND MININ	State ML-30780 7. Indian Allottee or Tribe Name	
SUNDRY NOTICES AND REPORTS O		
Do not use this form for proposals to drill new wells, deepen existing wells, or to ree Use APPLICATION FOR PERMIT— for such propos	88880000000000000000000000000000000000	3. Unit or Communitization Agreement
1. Type of Well Oll Well Other (specify)	·	9. Well Name and Number State #1
2. Name of Operator Gerald M. Quinn	10	0. API Well Number 43-019-30410
3. Address of Operator 81501	4. Telephone Number 11	1. Field and Pool, or Wildcat
672 Larkspur Lane, Grand Junction CO.	303-242-8879	Greater Cisco
5. Location of Well Sec. 16, T20S R24E		·
Footage :Grand County, UT.		Grand
QQ, Sec, T., R., M. :		UTAH
12 CHECK APPROPRIATE BOXES TO INDICATE NA		
NOTICE OF INTENT (Submit in Duplicate)	SUBSEQÜ (Submit Ori	JENT REPORT ginal Form Only)
Abandonment New Construction	Abandonment *	New Construction
Casing Repair Pull or Alter Casing	Casing Repair	Pull or Alter Casing
Change of Plans Recompletion	Change of Plans	Shoot or Acidize
Conversion to Injection Shoot or Acidize	Conversion to Injection	Vent or Flare
Fracture Treat Vent or Flare	Fracture Treat	Water Shut-Off
Multiple Completion Water Shut-Off	Other	
Other	Date of Work Completion	7/29/93
Approximate Date Work Will Start		3
	Report results of Multiple Completion on WELL COMPLETION OR RECOM	is and Recompletions to different reservoirs IPLETION AND LOG form.
	 Must be accompanied by a cemen 	t verification report.
13. DESCRIBE PROPOSED OR COMPLETED OPERATIONS (Clearly state all pertin locations and measured and true vertical depths for all markers and zones pertin		well is directionally drilled, give subsurface
1. Move equipment to P&A well.		(· · · · · · · · · · · · · · · · · · ·
2. Fill well bore and between 4 1/2"	racing and comfa	anaine mith
50 sk cement.	casing and surface	casing with
3. Erect regulation marker.		
4. Clean location and level area aroun	nd markor	
4. Cream rocation and level area aroun	TO Marker.	ECIZIVEN
		3- AU

nu3 € 2 1993.

DIVISION OF OIL GAS & MINING

14. I hereby certify t	hat the foregoing i	s true and cor	rect					
• •	• •			ſ		Λ		
		_	,	a 1 122 - 1	7 .	IJ.		_ 3
Name & Signature	William	Rippy	Jr.	William &	MARGI	~ .	Title Contractor	Date 7/30/93
				W. C. C. 1/0	71 1 // 1			

(State Use Only)